


- ▲ Grab Sample >0.1 ppm
- Interpreted Structural Trend
- ~ Interpreted Late Fault
- - - Chargeable (IP) Anomaly Axe
- - - Resistive Anomaly Axe
- Chargeable (IP) and Resistive Anomaly
- Apapam Concession Boundary

- Weak Chargeability - Weak Resistivity
- Weak Chargeability - Moderate Resistivity
- Weak Chargeability - Strong Resistivity
- Moderate Chargeability - Weak Resistivity
- Moderate Chargeability - Moderate Resistivity
- Moderate Chargeability - Strong Resistivity
- Strong Chargeability - Weak Resistivity
- Strong Chargeability - Moderate Resistivity
- Strong Chargeability - Strong Resistivity

- Very High
- High
- Moderate
- Weak



Xtra-Gold Resources Corp.
 Zone 5 Grid - Kibi Gold Project
 Ghana

MAP 2 INDUCED POLARIZATION/RESISTIVITY SURVEY GEOPHYSICAL INTERPRETATION / COMPILATION (2)

Interpreted by: Jean David 04/2013
 Surveyed by: Hubert Signo 02/2013
 Approved by: Jean David 04/2013
 Project: Kibi Scale 1: 5000
 Project no: 13-GH323 Map no: 13-GH323-09

